

BIBLIOGRAPHY

VINCENT H. RESH

- A 1. Blankenship, B. S. and Resh, V. H. 1971. An unusual record of feeding in *Cottus carolinae*. Transactions of the Kentucky Academy of Sciences 32:10-11.
- A 2. Resh, V. H. 1971. The maintenance requirement of the brook stickleback, *Culaea inconstans* (Kirkland). Transactions of the Kentucky Academy of Sciences 32:32-35.
- A 3. Covell, C. V. and Resh, V. H. 1971. Relative abundance of *Culex pipiens* and *Culex restuans* in catch basins in Jefferson County, Kentucky. Mosquito News 31:73-76.
- A 4. Resh, V. H. 1971. Larval habitats of mosquitoes in Jefferson County, Kentucky. Mosquito News 31:446-448.
- C 5. Resh, V. H., Hoyt, R. D., and Neff, S. E. 1971. The status of the common shiner *Notropis cornutus chrysocephalus* (Rafinesque) in Kentucky. Proceedings of the 25th Annual Conference of the Southeastern Association of Game and Fish Commissioners 25:550-556.
- A 6. Resh, V. H. 1972. A technique for rearing caddisflies. Canadian Entomologist 104:1959-1961.
- A 7. Resh, V. H., Baker, C. R., and Clay, W. M. 1972. A preliminary list of the fishes of the Land Between the Lakes, Cumberland and Tennessee River drainages, Kentucky. Transactions of the Kentucky Academy of Sciences 33:73-80.
- A 8. Resh, V. H. and Whittaker, F. H. 1973. Records of hippoboscids and other ectoparasites from cattle egrets in Puerto Rico. Florida Entomologist 56:233-234.
- C 9. Resh, V. H. and Haag, K. H. 1973. Species diversity, parasitism, and flight activity of caddisflies in a Kentucky stream. Proceedings of the 28th meeting of the North Central Branch of the Entomological Society of America 28:155-164.
- A 10. Resh, V. H. and Haag, K. H. 1974. New records of parasitism of caddisflies by erythraeid mites. Journal of Parasitology 60:382-383.
- A 11. Resh, V. H. 1974. New species of *Athripsodes* caddisflies from Eastern United States (Trichoptera: Leptoceridae). Journal of the Georgia Entomological Society 9:267-269.

- A 12. Resh, V. H. 1975. The use of transect sampling techniques in estimating single species production of aquatic insects. *Verhandlungen International Vereinigung für Theoretische und Angewandte Limnologie* 19:3089-3094.
- A 13. Resh, V. H., Haag, K. H., and Neff, S. E. 1975. Community structure and diversity of caddisfly adults from the Salt River, Kentucky. *Environmental Entomology* 4:241-253.
- A 14. Resh, V. H. and Unzicker, J. D. 1975. Water quality monitoring and aquatic organisms: the importance of species identification. *Journal of the Water Pollution Control Federation* 47:9-19.
- A 15. Resh, V. H. 1975. A distributional study of the caddisflies of Kentucky. *Transactions of the Kentucky Academy of Sciences* 36:6-16.
- B 16. Resh, V. H. 1976. Life cycles of invertebrate predators of fresh-water sponge. pp. 299-314, In: F. W. Harrison and R. F. Cowden (eds.), *Aspects of Sponge Biology*, Academic Press, New York.
- C 17. Resh, V. H. 1976. Changes in the caddisfly fauna of Lake Erie, Ohio, and the Rock River, Illinois, over a fifty year period of environmental degradation. *Proceedings of the 1st International Symposium on Trichoptera* 1:167-170.
- A 18. Resh, V. H., Morse, J. C., and Wallace, I. D. 1976. The evolution of the sponge feeding habit in the caddisfly genus *Ceraclea*. *Annals of the Entomological Society of America* 69:937-41.
- A 19. Resh, V. H. 1976. Life histories of coexisting species of *Ceraclea* caddisflies: the operation of independent functional units in a stream ecosystem. *Canadian Entomologist* 108:1303-1318.
- A 20. Resh, V. H., White, D. S., Elbert, S. A., Jennings, D. E., and Krumholz, L. A. 1976. Vertebral variation in the emerald shiner, *Notropis atherinoides* (Rafinesque): a possible contradiction of the ecogeographic rule. *Bulletin of the Southern California Academy of Sciences (C. Hubbs commemorative issue)* 75:76-84.
- A 21. Resh, V. H. 1976. Biology and immature stages of the caddisfly genus *Ceraclea* in eastern North America (Trichoptera: Leptoceridae). *Annals of the Entomological Society of America* 69:1039-1061.
- A 22. Resh, V. H. 1977. Habitat and substrate influences on population and production estimates of a stream caddisfly, *Ceraclea ancylus* (Leptoceridae). *Freshwater Biology* 7:261-277.

- C 23. Lamberti, G. A. and Resh, V. H. 1977. Spatial distribution patterns and sampling variability in the benthic chironomid fauna of Clear Lake, California. *Proceedings of the California Mosquito Control Association* 45:222-225.
- B 24. Resh, V. H. and Solem, J. O. 1978. Phylogenetic relationships and evolutionary adaptations of aquatic insects. pp. 33-42, In: R. W. Merritt and K. W. Cummins (eds.), *An Introduction to the Aquatic Insects of North America*, Kendall/Hunt Publishing Company, Dubuque, Iowa.
- B 25. Merritt, R. W., Cummins, K. W., and Resh, V. H. 1978. Collecting, sampling and rearing methods for aquatic insects. pp. 13-28, In: R. W. Merritt and K. W. Cummins (eds.), *An Introduction to the Aquatic Insects of North America*, Kendall/Hunt Publishing Company, Dubuque, Iowa.
- C 26. Resh, V. H. 1978. Preliminary observations on spatial distribution patterns of stream caddisfly populations. *Proceedings of the 2nd International Symposium on Trichoptera* 2:65-70.
- A 27. Resh, V. H. and Sorg, K. L. 1978. Midsummer flight activity of caddisfly adults from a northern California stream. *Environmental Entomology* 7:396-398.
- A 28. Resh, V. H., White, D. S., and White, S. J. 1978. Lake Texoma caddisflies (Insecta: Trichoptera): 1. Species present and faunal changes since impoundment. *Southwest Naturalist* 23:381- 388.
- F 29. Resh, V. H. 1978. Book review: *Inland fishes of California*. *Journal of the Fisheries Research Board of Canada* 34:2429-2430.
- F 30. Denning, D. G. and Resh, V. H. 1978. Book review: *Larvae of North American caddisfly genera (Trichoptera)*. *Pan-Pacific Entomologist* 54:560.
- A 31. Resh, V. H. 1979. Sampling variability and life history features: basic considerations in the design of aquatic insect studies. *Journal of the Fisheries Research Board of Canada* 36:290-311.
- A 32. Hoyt, R. D., Neff, S. E., and Resh, V. H. 1979. Distribution, abundance, and species diversity of fishes of the upper Salt River drainage, Kentucky. *Transactions of the Kentucky Academy of Sciences* 40:1-20.
- B 33. Resh, V. H. 1979. Biomonitoring, species diversity indices, and taxonomy. pp. 241-253, In: G. P. Patil, W. K. Smith, and C. Taillie (eds.), *Ecological Diversity in Theory and Practice*, J. F. Grassle, International Cooperative Publishing House, Burtonsville, Maryland.
- B 34. Waters, W. E. and Resh, V. H. 1979. Ecological and statistical features of sampling insect populations in forest and aquatic environments. pp. 569-617, In: G. P.

Patil and M. L. Rosenzweig (eds.), *Contemporary Quantitative Ecology and Related Ecometrics*, International Cooperative Publishing House, Burtonsville, Maryland.

B 35. Gottfried, J. L. and Resh, V. H. 1979. Developing modules for field exercises in aquatic entomology. pp. 81-93, In: V. H. Resh and D. M. Rosenberg (eds.), *Innovative Teaching in Aquatic Entomology*, Canadian Special Publications in Fisheries and Aquatic Sciences 43:1-118.

E 36. Resh, V. H. and Rosenberg, D., (eds.). 1979. *Innovative Teaching in Aquatic Entomology*. Canadian Special Publications in Fisheries and Aquatic Sciences 43:1-118.

A 37. Lamberti, G. A. and Resh, V. H. 1979. Substrate relationships, spatial distribution patterns, and sampling variability in a stream caddisfly population. *Environmental Entomology* 8:561-567.

F 38. Denning, D. G. and Resh, V. H. 1979. Obituary: Herbert H. Ross. *Pan-Pacific Entomologist* 55:74.

C 39. Resh, V. H. and Balling, S. S. 1979. Ecological impact of mosquito control recirculation ditches on San Francisco Bay marshlands: preliminary considerations and experimental design. *Proceedings of the California Mosquito and Vector Control Association* 47:72-78.

C 40. Balling, S. S., Stoehr, T., and Resh, V. H. 1979. Species composition and abundance of fishes in ditched and unditched areas of a San Francisco Bay Salt marsh. *Proceedings of the California Mosquito and Vector Control Association* 47:88-89.

A 41. Balling, S. S., Stoehr, T., and Resh, V. H. 1980. The effects of mosquito control recirculation ditches on the fish community of a San Francisco Bay Salt Marsh. *California Fish and Game* 66:25-34.

A 42. Resh, V. H., Balling, S. S., Barnby, M. A., and Collins, J. N. 1980. What is the ecological impact of mosquito control recirculation ditches on San Francisco Bay marshlands? *California Agriculture* 34:38-39.

A 43. Gall, G. A. Cech, E. J., Garcia, R., Resh, V., and Washino, R. 1980. Mosquito Fish: an established predator. *California Agriculture* 34:21- 22.

C 44. Barnby, M. A. and Resh, V. H. 1980. Distribution of arthropod populations in relation to mosquito control recirculation ditches and natural channels in the Petaluma salt marsh of San Francisco Bay. *Proceedings of the California Mosquito and Vector Control Association* 48:100-102.

A 45. Hart, D. D. and Resh, V. H. 1980. Movement patterns and foraging ecology of a stream caddisfly larva. *Canadian Journal of Zoology* 58:1174-1185.

- B 46. Russell, P. P., Resh, V. H., and Flynn, T. S. 1980. A continuous flow bioassay technique for assessing the toxicity of oil- shale-related effluents: preliminary results with two species of caddisfly larvae. pp. 416-430, In: C. Gale (ed.), *Oil Shale Symposium: Sampling, Analysis, and Quality Assurance*, U. S. Environmental Protection Agency, Cincinnati (EPA-600/9-80- 022).
- A 47. Rosenberg, D. M., Resh, V. H., Balling, S. S., Barnby, M. A., Collins, J. N., Durbin, D. V., Flynn, T. S., Hart, D. D., Lamberti, G. A., McElravy, E. P., Wood, J. R., Blank, T. E., Schultz, D. M., Marrin, D. L., and Price, D. G. 1981. Recent trends in environmental impact assessment. *Canadian Journal of Fisheries and Aquatic Sciences* 38:591-624.
- A 48. Tozer, W. E., Resh, V. H., and Solem, J. O. 1981. Bionomics and adult behavior of a lentic caddisfly *Nectopsyche albida* (Walker). *American Midlands Naturalist* 106:133-144.
- A 49. Solem, J. O. and Resh, V. H. 1981. Larval and pupal description, life cycle, and adult flight behaviour of the sponge-feeding caddisfly, *Ceraclea nigronervosa* (Retzius), in Central Norway (Trichoptera). *Entomologia Scandanavica* 12:311-319.
- C 50. Resh, V. H., Flynn, T. S., Lamberti, G. A., McElravy, E. P., Sorg, K. L., and Wood, J. R. 1981. Responses of the sericostomatid caddisfly *Gumaga nigricula* (McL.) to environmental disruptions. *Proceedings of the 3rd International Symposium on Trichoptera* 3:311-318.
- C 51. McElravy, E. P., Resh, V. H., Wolda, H., and Flint, Jr., O. S. 1981. Diversity of adult Trichoptera in a "non-seasonal" tropical environment. *Proceedings of the 3rd International Symposium on Trichoptera* 3:149-156.
- E 52. Resh, V. H. and Rosenberg, D. M. (rEd.) 1981. Enseignement novateur de l'entomologie aquatique. *Publication speciale des sciences halientiques et aquatiques* 43F:1-122.
- B 53. Gottfried, J. and Resh, V. H. 1981. Elaboration de modules pour des exercices sur le terrain en entomologie aquatique. p. 83-96, In: Resh, V. H. and D. M. Rosenberg (rEd.) *Enseignement novateur de l'entomologie aquatique. Publication speciale des sciences halientiques et aquatiques* 43F:1-122.
- B 54. Rosenberg, D. M. and Resh, V. H. 1981. The use of artificial substrates in the study of freshwater benthic macroinvertebrates. pp. 175-235, In: J. Cairns, Jr. (ed.), *Artificial Substrates*, Ann Arbor Science Publishers, Ann Arbor, MI.
- A 55. Resh, V. H. 1982. Age structure alteration in a caddisfly population following loss and recovery of habitat. *Oikos* 38:280-284.

- F 56. Resh, V. H. and Neff, S. E. 1982. Louis A. Krumholz (1909-1981). *Transactions of the Kentucky Academy of Sciences* 43:1-3.
- B 57. Unzicker, J. D., Resh, V. H., and Morse, J. C. 1982. Trichoptera. pp. 1-138, In: A. R. Brigham, W. Y. Brigham, and A. Gnilka (eds.), *Aquatic Insects and Oligochaetes of North and South Carolina* 9.
- A 58. Wood, J. R., Resh, V. H., and McEwan, E. 1982. Egg masses of Nearctic sericostomatid caddisfly genera. *Annals of the Entomological Society of America* 75:430-434.
- A 59. Balling, S. S. and Resh, V. H. 1982. Arthropod community response to mosquito control recirculation ditches in San Francisco Bay salt marshes. *Environmental Entomology* 11:801-808.
- A 60. McElravy, E. P., Wolda, H., and Resh, V. H. 1982. Seasonality and annual variability of caddisfly adults (Trichoptera) in a "nonseasonal" tropical environment. *Archiv für Hydrobiologie* 94:302-317.
- B 61. Resh, V. H. and Grodhaus, G. 1983. Aquatic insects in urban environments. pp. 247-276, In: G. Frankie and C. Koehler (eds.), *Urban Entomology*, Praeger Publishers, New York.
- A 62. Balling, S. S. and Resh, V. H. 1983. The influence of mosquito control recirculation ditches on plant biomass, production, and composition in two San Francisco Bay salt marshes. *Estuarine, Coastal and Shelf Science* 16:151-161.
- A 63. Resh, V. H. and Balling, S. S. 1983. Tidal circulation alteration for salt marsh mosquito control. *Environmental Management* 7:79-84.
- F 64. Resh, V. H. 1983. Delays and defaults: an editor's dilemma. (Editorial). *Bioscience* 33:79.
- A 65. Balling, S. S. and Resh, V. H. 1983. Mosquito Control and salt marsh management: factors influencing the presence of *Aedes* larvae. *Mosquito News* 43:212-218.
- A 66. Balling, S. S. and Resh, V. H. 1983. A method of determining pond inundation height for use in salt marsh mosquito control. *Mosquito News* 43:239-240.
- A 67. Resh, V. H., Rosenberg, D. M., and Wiens, A. P. 1983. Emergence of caddisflies (Trichoptera) from eroding and non-eroding shorelines of Southern Indian Lake, Manitoba, Canada. *Canadian Entomologist* 115:1563-1572.

- A 68. Lamberti, G. A. and Resh, V. H. 1983. Stream periphyton and insect herbivores: an experimental study of grazing by a caddisfly population. *Ecology* 64:1124-1135.
- A 69. Denning, D. G., Resh, V. H., and Hogue, C. L. 1983. New species of *Phylloicus* and a new neotropical genus of Calamoceratidae (Trichoptera). *Aquatic Insects* 5:181-191.
- A 70. Resh, V. H. 1983. Spatial differences in the distribution of benthic macroinvertebrates along a spring brook. *Aquatic Insects* 5:193-200.
- C 71. Resh, V. H. and Balling, S. S. 1983. Ecological impact of mosquito control recirculation ditches on San Francisco Bay marshlands: study conclusions and management recommendations. *Proceedings of the California Mosquito and Vector Control Association* 51:49-53.
- C 72. Collins, J. N., Balling, S. S., and Resh, V. H. 1983. The Coyote Hills Marsh Model: calibration of interactions among floating vegetation, waterfowl, invertebrate predators, alternate prey, and *Anopheles* mosquitoes. *Proceedings of the California Mosquito and Vector Control Association* 51:69-73.
- A 73. Resh, V. H. and Sorg, K. L. 1983. The distribution of the Wilbur Springs Shore Bug (Hemiptera: Saldidae): Predicting occurrence using water chemistry parameters. *Environmental Entomology (Forum)* 12:1628-1635.
- A 74. Lamberti, G. A. and Resh, V. H. 1983. Geothermal effects on stream benthos: the separate influences of thermal and chemical components on periphyton and macroinvertebrates. *Canadian Journal of Fisheries and Aquatic Sciences* 40:1995-2009.
- A 75. Barnby, M. A. and Resh, V. H. 1984. Distribution and seasonal abundance of brineflies (Diptera: Ephydriidae) in a San Francisco Bay Salt Marsh. *Pan-Pacific Entomologist* 60:37-46.
- A 76. Resh, V. H. and Price, D. G. 1984. Sequential sampling: a cost-effective approach for monitoring benthic macroinvertebrates in environmental impact assessments. *Environmental Management* 8:75-80.
- A 77. Wood, J. R. and Resh, V. H. 1984. A demonstration of sex pheromones in caddisflies (Trichoptera). *Journal of Chemical Ecology* 10:171-175.
- E 78. Resh, V. H. and Rosenberg, D. M. (eds.). 1984. *The Ecology of Aquatic Insects*. Praeger Scientific, NY. 625 pp.
- B 79. Resh, V. H. and Rosenberg, D. M. 1984. Introduction. pp. 1-8, In: V.H. Resh and D.M. Rosenberg (eds.), *The Ecology of Aquatic Insects*, Praeger Scientific, New York.

- A 80. Balling, S. S. and Resh, V. H. 1984. Life history variability in the water boatman *Trichocorixa reticulata* (Hemiptera: Corixidae) in San Francisco Bay salt marsh ponds. *Annals of the Entomological Society of America* 77:14-19.
- A 81. Resh, V. H. and Barnby, M. A. 1984. Distribution of shore bugs and brine flies at Sylvan Springs, Yellowstone National Park. *Great Basin Naturalist* 44:99-103.
- B 82. Merritt, R. W., Cummins, K. W., and Resh, V. H. 1984. Collecting, sampling, and rearing methods for aquatic insects. pp. 11-26, In: R.W. Merritt and K.W. Cummins (eds.), *An Introduction to the Aquatic Insects of North America*, 2nd ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.
- B 83. Erickson, C., Resh, V. H., Balling, S. S., and Lamberti, G. A. 1984. Respiratory mechanisms in aquatic insects. pp. 27-28, In: R.W. Merritt and K.W. Cummins (eds.), *An Introduction to the Aquatic Insects of North America*, 2nd ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.
- B 84. Resh, V. H. and Solem, J. O. 1984. Phylogenetic relationships and evolutionary adaptations of aquatic insects. pp. 66-75, In: R.W. Merritt and K.W. Cummins (eds.), *An Introduction to the Aquatic Insects of North America*, 2nd ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.
- C 85. Resh, V. H. 1984. Bibliographic scattering of Trichoptera research. *Proceedings of the 4th International Symposium on Trichoptera. Series Entomologica (The Hague)* 30:307-313.
- C 86. Resh, V. H., Lamberti, G. A., and Wood, J. R. 1984. Biological studies of *Helicopsyche borealis* (Hagen) in a coastal California stream. *Proceedings of the 4th International Symposium on Trichoptera. Series Entomologica (The Hague)*. 30:315-319.
- C 87. Balling, S. S. and Resh, V. H. 1984. Seasonal patterns of pondweed standing crop and *Anopheles occidentalis* densities in Coyote Hills Marsh. *Proceedings of the California Mosquito and Vector Control Association* 52:122-125.
- C 88. Lamberti, G. A. and Resh, V. H. 1984. Seasonal patterns of invertebrate predators and prey in Coyote Hills Marsh. *Proceedings of the California Mosquito and Vector Control Association* 52:126-128.
- C 89. Collins, J. N. and Resh, V. H. 1984. Do waterfowl affect mosquitoes in Coyote Hills Marsh? *Proceedings of the California Mosquito and Vector Control Association* 52:129-133.

- A 90. Resh, V. H., Lamberti, G. A., and Wood, J. R. 1984. Biology of the caddisfly *Helicopsyche borealis* (Hagen): A comparison of North American populations. *Freshwater Invertebrate Biology* 5:172-180.
- F 91. Resh, V. H. 1984. Bibliographic scattering of benthic research. (Presidential Address). *Bulletin of the North American Benthological Society* 1:46-48.
- A 92. Haag, K. H., Resh, V. H., and Neff, S. E. 1984. Changes in the adult caddisfly (Trichoptera) community of the Salt River, Kentucky. *Transactions of the Kentucky Academy of Sciences* 45:101-108.
- E 93. Resh, V. H., Lamberti, G. A., McElravy, E. P., Wood, J. R., and Feminella, J. W. 1984. Quantitative methods for evaluating the effects of geothermal energy development on stream benthic communities at The Geysers, California. *California Water Resources Technical Publication No. 190*. 57 p.
- A 94. Collins, J. N. and Resh, V. H. 1985. Utilization of natural and man-made habitats by the salt marsh song sparrow, *Melospiza melodia samuelis* (Baird). *California Fish and Game* 71:40-52.
- A 95. Lamberti, G. A. and Resh, V. H. 1985. Comparability of introduced tiles and natural substrates for sampling lotic bacteria, algae, and macroinvertebrates. *Freshwater Biology* 15:21-30.
- A 96. Barnby, M. A., Collins, J. N., and Resh, V. H. 1985. Aquatic macroinvertebrate communities of natural and ditched potholes in a San Francisco Bay salt marsh. *Estuarine, Coastal and Shelf Science* 20:331-347.
- A 97. Resh, V. H. and Wood, J. R. 1985. Site of sex pheromone production in three species of caddisflies. *Aquatic Insects* 7:65-71.
- F 98. Resh, V. H., Rosenberg, D. M., and Feminella, J. W. 1985. The processing of benthic samples: responses to the 1983 NABS questionnaire. *Bulletin of the North American Benthological Society* 2:5-11.
- A 99. Lamberti, G. A. and Resh, V. H. 1985. Distribution of benthic algae and macroinvertebrates along a geothermal stream gradient. *Hydrobiologia* 128:13-21.
- C 100. Collins, J. N., Gallagher, K. D., and Resh, V. H. 1985. Thermal characteristics of aquatic habitats at Coyote Hills Marsh: implication for simulation and control of *Anopheles* populations. *Proceedings of the California Mosquito and Vector Control Association* 53:83-86.
- C 101. Collins, J. N. and Resh, V. H. 1985. Factors that limit the role of immature damselflies as natural mosquito control agents at Coyote Hills Marsh. *Proceedings of the California Mosquito and Vector Control Association* 53:87-92.

- A 102. Resh, V. H. 1985. Periodical citations in aquatic entomology and freshwater benthic biology. *Freshwater Biology* 15:757-766.
- F 103. Resh, V. H. 1985. Book Review: *Sublittoral Ecology* (R. Earll and D. G. Erwin, eds.) *Bulletin of the North American Benthological Society* 2:146-148.
- A 104. Resh, V. H. and Houpp, R. E. 1986. Life history of the caddisfly *Dibusa angata* and its association with the red alga *Lemanea australis*. *Journal of the North American Benthological Society* 5:28-40.
- C 105. Collins, J. N., Collins, L. M., Leopold, L. B., and Resh, V. H. 1986. The influence of mosquito control ditches on the geomorphology of tidal marshes in the San Francisco Bay Area: evolution of salt marsh mosquito habitat. *Proceedings of the California Mosquito and Vector Control Association* 54:91-95.
- C 106. Feminella, J. W. and Resh, V. H. 1986. Effects of crayfish grazing on mosquito habitat at Coyote Hills Marsh. *Proceedings of the California Mosquito and Vector Control Association* 54:101-104.
- C 107. Orr, B. K. and Resh, V. H. 1986. Spatial-scale considerations in predator-prey experiments. *Proceedings of the California Mosquito and Vector Control Association* 54:105-109.
- C 108. Resh, V. H., Jackson, J. K., and Wood, J. R. 1987. Techniques for demonstrating sex pheromones in Trichoptera. *Proceedings of the 5th International Symposium on Trichoptera. Series Entomologica* 39:161-164.
- A 109. McElravy, E. P. and Resh, V. H. 1987. Diversity, seasonality and annual variability of caddisfly (Trichoptera) adults from two streams in the California coast range. *Pan-Pacific Entomologist* 63:75-91.
- A 110. Lamberti, G. A. and Feminella, J. W., and Resh, V. H. 1987. Herbivory and intraspecific competition in a stream caddisfly population. *Oecologia* 73:75-81.
- A 111. Lamberti, G. A. and Resh, V. H. 1987. Seasonal patterns of suspended bacteria and algae in two Northern California streams. *Archiv für Hydrobiologie* 110:45-57.
- A 112. Resh, V. H. and Barnby, M. A. 1987. The distribution of the Wilbur Springs Shore Bug (Hemiptera: Saldidae): a product of abiotic tolerances and biotic constraints. *Environmental Entomology* 16:1087-1091.
- A 113. Jackson, J. K. and Resh, V. H. 1988. Sequential decision plans in monitoring benthic macroinvertebrates: cost savings, classification accuracy, and development of plans. *Canadian Journal of Fisheries and Aquatic Science* 45:280-286.

- A 114. Barnby, M. A. and Resh, V. H. 1988. Factors affecting the distribution of an endemic and a widespread species of brine fly (Diptera: Ephydriidae) in a Northern California thermal, saline spring. *Annals of the Entomological Society of America* 81:437-446.
- A 115. Jones, T. S. and Resh, V. H. 1988. Movements of aquatic insects along a Montana (USA) springbrook. *Aquatic Insects* 10:99-104.
- A 116. Resh, V. H., Jackson, J. K., and McElravy, E. P. 1988. The use of long-term ecological data and sequential decision plans in monitoring the impact of geothermal energy development on benthic macroinvertebrates. *Verhandlungen International Vereinigung f,r Theoretische und Angewandte Limnologie* 23:1142-1146.
- C 117. Orr, B. K. and Resh, V. H. 1988. Interactions among mosquito fish (*Gambusia affinis*), Sago pondweed (*Potamogeton pectinatus*), and the survivorship of *Anopheles* mosquito larvae. *Proceedings of the California Mosquito and Vector Control Association* 55:94-97.
- A 118. Resh, V. H. and Jamieson, W. 1988. Parasitism of the aquatic moth *Petrophila confusalis* (Walker) (Lepidoptera: Pyralidae) by the aquatic wasp *Tanychela pilosa* Dasch (Hymenoptera: Ichneumonidae). *Entomological News* 99:185-188.
- A 119. Resh, V. H. 1988. Publication patterns in entomology: an example based on aquatic insects. *Bulletin of the Entomological Society of America* 34:145-150.
- A 120. Resh, V. H., Brown, A., Covich, A. P., Gurtz, M. E., Li, H. W., Minshall, W., Reice, S., Sheldon, A. L., Wallace, J. B., and Wissmar, R. 1988. The role of disturbance theory in stream ecology. *Journal of the North American Benthological Society* 7:433-455.
- A 121. Statzner, B., Gore, J., and Resh, V. H. 1988. Hydraulic stream ecology: observed patterns and potential applications. *Journal of the North American Benthological Society* 7:307-360.
- C 122. Collins, J. N., McElravy, E. P., Orr, B. K., and Resh, V. H. 1989. Preliminary observations on the effects of the intersection line upon predation of *Anopheles* mosquito larvae. *Bicovas (Proceedings of the International Conference on Biological Control of Vectors with Predaceous Arthropods)* 1:1-12.
- C 123. Batzer, D. P. and Resh, V. H. 1989. Waterfowl management and mosquito production in diked salt marshes: preliminary considerations and mesocosm design. *Proceedings of the California Mosquito and Vector Control Association* 56:153-157.

- A 124. Feminella, J. W. and Resh, V. H. 1989. Submersed macrophytes and grazing crayfish: an experimental study of herbivory in a California marsh. *Holarctic Ecology* 12:1-8.
- A 125. Jackson, J. K. and Resh, V. H. 1989. Distribution and abundance of adult aquatic insects in the forest adjacent to a northern California stream. *Environmental Entomology* 18:278-283.
- A 126. McElravy, E. P., Lamberti, G. A., and Resh, V. H. 1989. Year-to-year variation in the aquatic macroinvertebrate fauna of a northern California stream. *Journal of the North American Benthological Society* 8:51-63.
- E 127. Collins, J. N. and V. H. Resh. 1989. Guidelines for the ecological control of mosquitoes in non-tidal wetlands of the San Francisco Bay Area. Special Publication of the California Mosquito and Vector Control Association and the University of California Mosquito Research Program. 93p.
- C 128. Resh, V. H. Donald G. Denning, 1909-1988 (Obituary). 1989. *Pan-Pacific Entomologist* 65:97-107.
- A 129. Jackson, J. K. and V. H. Resh. 1989. Sequential decision plans, benthic macroinvertebrates, and biological monitoring programs. *Environmental Management* 13:455-468.
- A 130. Resh, V. H. and Rosenberg, D. M. 1989. Spatial-temporal variability and the study of aquatic insects. *Canadian Entomologist* 121:941-963.
- A 131. Orr, B. K. and Resh, V. H. 1989. An experimental test of the influence of aquatic macrophyte cover on the survival of *Anopheles* larvae. *Journal of the American Mosquito Control Association* 5:579-585.
- A 132. Feminella, J. W., Power, M. E., and Resh, V. H. 1989. Periphyton responses to invertebrate grazing and riparian canopy in three Northern California streams. *Freshwater Biology* 22:445-457 (cover article).
- B 133. Jackson, J. K. and Resh, V. H. 1989. Activities and ecological role of adult aquatic insects in the riparian zone of streams. pp. 342-345, In: D. Abell (ed.), *California Riparian Systems: Protection, Management and Restoration for the 1990's*. Pacific Southwest Forest and Range Experiment Station.
- B 134. Resh, V. H., Feminella, J. W., and McElravy, E. P. 1990. Sampling aquatic insects. Videotape. Office of Media Services, University of California, Berkeley. 38 minutes.

- F 135. Charbonneau, R., Kaza, S., and Resh, V. H. 1990. Strawberry Creek. A walking tour of campus natural history. Department of Environmental Health and Safety, University of California, Berkeley. 16 p.
- A 136. Feminella, J. W. and Resh, V. H. 1990. Hydrologic influences, disturbance, and intraspecific competition in a stream caddisfly population. *Ecology* 71:2083-2094.
- A 137. Resh, V. H., Barnes, J. R., and Craig, D. A. 1990. Distribution and ecology of benthic macroinvertebrates in the Opunohu River Catchment, Moorea, French Polynesia. *Annales de Limnologie* 26:195-214.
- B 138. Resh, V. H., Jackson, J. K., and McElravy, E. P. 1990. Disturbance, annual variability, and lotic benthos: examples from a California stream influenced by a Mediterranean climate. pp.309-329, In: R. de Bernardi, G. Giussani, and L. Barbanti (eds.), *Scientific Perspectives in Theoretical and Applied Limnology*. *Memorie dell'Istituto Italiano di Idrobiologia* 47.
- A 139. Batzer, D. P. and Resh, V. H. 1991. Trophic interactions among a beetle predator, a chironomid grazer, and periphyton in a seasonal wetland. *Oikos* 60:251-257.
- A 140. Balling, S. S. and Resh, V. H. 1991. Seasonal patterns in a San Francisco Bay salt marsh arthropod community. *Pan-Pacific Entomologist* 67:138-144.
- A 141. Jackson, J. K. and Resh, V. H. 1991. Periodicity in mate attraction and flight activity of adult caddisflies (Trichoptera). *Journal of the North American Benthological Society* 10:198-209.
- A 142. Resh, V. H., Kobzina, N. G., de Szalay, F., and Batzer, D. 1991. Where is mosquito research published? *Journal of the American Mosquito Control Association* 7:123-125.
- C 143. McGee, M., Batzer, D. P., and Resh, V. H. 1991. The influence of flooding date on density and age structure of the three-spined stickleback, *Gasterosteus aculeatus*, in Suisun Marsh, California. *Proceedings of the California Mosquito and Vector Control Association* 58:127-128.
- A 144. McElravy, E. P. and Resh, V. H. 1991. Distribution and seasonal occurrence of the hyporheic fauna in a northern California stream. *Hydrobiologia* 220:233-246.
- A 145. Feminella, J. W. and Resh, V. H. 1991. Herbivorous caddisflies, macroalgae, and epilithic periphyton: complex interactions in a stream grazing system. *Oecologia* 87:247-256.

- A 146. Jackson, J. K. and Resh, V. H. 1991. Use of cellulose acetate electrophoresis to examine population genetics of the caddisfly *Helicopsyche borealis*. *Verhandlungen International Vereinigung für Theoretische und Angewandte Limnologie* 24:2903-2907.
- B 147. Wood, J. R. and Resh, V. H. 1991. Morphological and ecological variation in stream and spring populations of *Gumaga nigricula* (McLachlan) in the California (USA) coast ranges. pp. 15-20. *Proceedings of the 6th International Symposium on Trichoptera*, C. Tomaszewski (Ed.), Adam Mickiewicz University Press, Poland.
- C 148. Orr, B. K. and Resh, V. H. 1991. Interactions among aquatic vegetation, predators, and mosquitoes: implications for management of *Anopheles* mosquitoes in a freshwater marsh. *Proceedings of the California Mosquito and Vector Control Association* 58:214-220.
- B 149. Norris, R. H., McElravy, E. P., and Resh, V. H. 1992. The sampling problem. pp. 282-306, In: P. Calow and G.E. Petts (eds.). *Rivers Handbook*. Blackwell Scientific Publications. Oxford. 526 p.
- A 150. Bergey, E. A., Balling, S. S., Collins, J. N., Lamberti, G. A., and Resh, V. H. 1992. Bionomics of invertebrates within an extensive *Potamogeton pectinatus* L. bed of a California marsh. *Hydrobiologia* 234:15-24.
- A 151. Jackson, J. K. and Resh, V. H. 1992. Variation in genetic structure among populations of the caddisfly *Helicopsyche borealis* from three streams in northern California, U.S.A. *Freshwater Biology* 27:29-42.
- A 152. Batzer, D. P. and Resh, V. H. 1992. Macroinvertebrates of a California seasonal wetland and responses to experimental habitat manipulation. *Wetlands* 12:1-7.
- A 153. Orr, B. K. and Resh, V. H. 1992. Influence of *Myriophyllum aquaticum* cover on *Anopheles* mosquito abundance, oviposition, and larval microhabitat. *Oecologia* 90:474-482.
- A 154. Resh, V. H. 1992. Year-to-year changes in the age structure of a caddisfly population following loss and recovery of a springbrook habitat. *Ecography* 15:314-317.
- A 155. Batzer, D. P. and Resh, V. H. 1992. Wetland management strategies that enhance waterfowl habitats can also control mosquitoes. *Journal of the American Mosquito Control Association* 8:117-125.
- A 156. Resh, V. H., Barnes, J. R., Benis-Steger, B., and Craig, D. A. 1992. Life history features of macroinvertebrates in a French Polynesia stream. *Studies on Neotropical Fauna and Environment* 27:145-153.

- C 157. Batzer, D. P. and Resh, V. H. 1992. Recommendations for managing wetlands to concurrently achieve waterfowl enhancement and mosquito control. *Proceedings of the California Mosquito and Vector Control Association* 60: 202-206.
- A 158. Charbonneau, R. and Resh, V. H. 1992. Strawberry Creek on the University of California, Berkeley campus: a case history of urban stream restoration. *Aquatic Conservation* 2: 293-307.
- E 159. Rosenberg, D. M. and Resh, V. H. (eds.). 1993. *Freshwater biomonitoring and benthic macroinvertebrates*. Chapman and Hall, New York. 488 p.
- B 160. Rosenberg, D. M. and Resh, V. H. 1993. Introduction to freshwater biomonitoring using benthic macroinvertebrates. pp. 1-9, In: Rosenberg, D.M. and V.H. Resh (eds.), *Freshwater biomonitoring and benthic macroinvertebrates*, Chapman and Hall, New York.
- B 161. Resh, V. H. and McElravy, E. P. 1993. Contemporary quantitative approaches to biomonitoring using benthic macroinvertebrates. pp. 159-194, In: Rosenberg, D.M. and V.H. Resh (eds.), *Freshwater biomonitoring and benthic macroinvertebrates*, Chapman and Hall, New York. 488 p.
- B 162. Resh, V. H. and Jackson, J. K. 1993. Rapid assessment approaches to biomonitoring using benthic macroinvertebrates. pp. 195-223, In: Rosenberg, D.M. and V. H. Resh (eds.), *Freshwater biomonitoring and benthic macroinvertebrates*, Chapman and Hall, New York. 488 p.
- A 163. Batzer, D. P. and V. Resh. 1993. Characteristics of invertebrates consumed by mallards and response to wetland flooding schedules. *Wetlands* 13:41-49.
- A 164. Statzner, B. and Resh, V. H. 1993. Multiple-site and -year analyses of stream insect emergence: a test of ecological theory. *Oecologia* 96:65-79.
- C 165. Resh, V. H. 1993. Recent trends in the use of Trichoptera in water quality monitoring. pp. 285-291. In: C. Otto (ed.). *Proceedings of the 7th International Symposium on Trichoptera*. Buckhuys Publishers. Leiden, The Netherlands.
- A 166. Gore, J. A., Niemela, S., Resh, V. H., and Statzner, B. 1994. Near-substrate hydraulic conditions under artificial floods from peaking hydropower operation: a preliminary analysis of disturbance intensity and duration. *Regulated Rivers* 9: 15-34.
- F 167. Resh, V. H. 1994. Book Review: *Lake Hula. Reconstruction of the fauna and hydrobiology of lost lake*. Ch. Dimentman, H. J. Bromley, and F. D. Por. *Freshwater Biology* 29:185.

- A 168. Bergey, E. A. and Resh, V. H. 1994. Interactions between a stream caddisfly and the algae on its case: factors affecting algal quality. *Freshwater Biology* 31:153-163.
- A 169. Statzner, B., Resh, V. H., and DolÈdec, S. (eds.). 1994. Ecology of the Upper Rhône: a test of habitat templet theories. *Freshwater Biology* 31:253-554.
- A 170. Statzner, B., Resh, V. H., and Roux, A. L. 1994. The synthesis of long-term ecological research in the context of concurrently developed ecological theory: design of a research strategy for the Upper Rhône and its floodplain. *Freshwater Biology* 31:253-263.
- A 171. Resh, V. H., Hildrew, A. G., Statzner, B., and Townsend, C. R. 1994. Theoretical habitat templates, species traits, and species richness: a synthesis of long-term ecological research on the Upper Rhône River in the context of concurrently developed ecological theory. *Freshwater Biology* 31:539-554.
- B 172. Batzer, D. P. and Resh, V. H. 1994. Wetland management strategies, waterfowl habitat management, and mosquito control, pp. 825-832. In: W. J. Mitsch (ed.), *Global Wetlands*, Elsevier Publishers, Amsterdam.
- A 173. Bergey, E. A. and Resh, V. H. 1994. Effects of burrowing by a stream caddisfly on case-associated algae. *Journal of the North American Benthological Society* 13: 379-390.
- B 174. Resh, V. H. and Statzner, B. 1994. Collecting and sampling aquatic insects. pp. 16-23. In: J. C. Morse, L. Yang, and L. Tian (eds.). *Aquatic Insects of China Useful for Monitoring Water Quality*. Hohai University Press. Nanjing, People's Republic of China.
- B 175. Ericksen, C. W. and Resh, V. H. 1994. Aquatic insect respiration. pp. 92-109. In: J. C. Morse, L. Yang, and L. Tian (eds.). *Aquatic Insects of China Useful for Monitoring Water Quality*. River and Sea University Press. Nanjing, People's Republic of China.
- B 176. Resh, V. H., Solem, J. O., and Morse, J. C. 1994. Phylogenetic relationships and evolutionary adaptations of aquatic insects. pp. 92-109. In: J. C. Morse, L. Yang, and L. Tian. *Aquatic Insects of China Useful for Monitoring Water Quality*. Hohai University Press. Nanjing, People's Republic of China.
- A 177. Resh, V. H. 1994. Variability, accuracy, and taxonomic costs of rapid assessment approaches in benthic biomonitoring. *Bolletino di Zoologia* 61:375-383.
- A 178. Resh, V. H. and Yamamoto, D. 1994. International collaboration in freshwater ecology. *Freshwater Biology* 32:613-624.

- B 179. Resh, V. H. 1995. Freshwater benthic macroinvertebrates and rapid assessment procedures for water quality monitoring in developing and newly industrialized countries. pp. 165-175. In: W. S. Davis and T. Simon (eds.), *Biological Assessment and Criteria*. Lewis Publishers, Chelsea, Michigan.
- A 180. Statzner, B., Resh, V. H., and Kobzina, N. 1995. Scale effects on impact factors of scientific journals: ecology compared to other fields. *Oikos* 73:440-443.
- A 181. Bergey, E. A. and Resh, V. H. 1995. Effects of water velocity on the architecture and epiphytes of *Cladophora glomerata* (Chlorophyta). *Journal of Phycology* 31: 264-271.
- F 182. Statzner, B., Resh, V. H. and Kobzina, N. 1995. Low impact factors of ecology journals: don't worry. *Trends in Research in Ecology and Evolution* 10:220. (Postscript)
- B 183. Resh, V. H. and de Szalay, F. A. 1995. Streams and rivers of Oceania. Pp. 717-736. In: C. Cushing, K. W. Cummins, and G. W. Minshall (eds.), *River and Stream Ecosystems of the World*, Elsevier Publishers, Amsterdam.
- A 184. Resh, V. H., Norris, R. H., and Barbour, M. T. 1995. Design and implementation of rapid assessment approaches for water resource monitoring using benthic macroinvertebrates. *Australian Journal of Ecology* 20:108-121.
- A 185. Hannaford, M. J. and Resh, V. H. 1995. Variability in macroinvertebrate rapid bioassessment surveys and habitat assessments in a northern California stream. *Journal of the North American Benthological Society*:14:430-439.
- C 186. Resh, V. H. 1995. Multiple techniques benefit Berkeley campus creek. *Water Protection Techniques* 1:184-187.
- C 187. De Szalay, F. A., Batzer, D. P., Schlossberg, E. B., and Resh, V. H. 1995. A comparison of small and large scale experiments examining the effects of wetland management practices on mosquito densities. *Proceedings of the California Mosquito and Vector Control Association* 63:86-90.
- B 188. Merritt, R. W., Resh, V. H., and Cummins, K. W. 1996. Design of aquatic insect studies: collecting, sampling, and rearing procedures. Pp.12-28. In: R. W. Merritt and K. W. Cummins, *An Introduction to the Aquatic Insects of North America*, 3rd Ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.
- B 189. Eriksen, C. H., Resh, V. H., and Lamberti, G. A. 1996. Aquatic insect respiration. Pp. 29-40. In: R. W. Merritt and K. W. Cummins, *An Introduction to the Aquatic Insects of North America*, 3rd Ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.

- B 190. Rosenberg, D. M. and Resh, V. H. 1996. Use of aquatic insects in biomonitoring. Pp. 87-97. In: R. W. Merritt and K. W. Cummins, *An Introduction to the Aquatic Insects of North America*, 3rd Ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.
- B 191. Resh, V. H. and Solem, J. O. 1996. Phylogenetic relationships and evolutionary adaptations of aquatic insects. Pp. 98-107. In: R. W. Merritt and K. W. Cummins, *An Introduction to the Aquatic Insects of North America*, 3rd Ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.
- A 192. Resh, V. H. and Yamamoto, D. M. 1996. International collaboration in the publication of entomological research. *The American Entomologist* 42:48-55.
- B 193. Hauer, F. R. and Resh, V. H. 1996. Benthic macroinvertebrates. pp. 339-369, In: F. R. Hauer and G. A. Lamberti (eds.) *Methods in Stream Ecology*. Academic Press, San Diego.
- B 194. Resh, V. H., Myers, M. J., and Hannaford, M. 1996. Macroinvertebrates as biotic indicators of environmental quality. pp. 647-667, In: F. R. Hauer and G. A. Lamberti (eds.) *Methods in Stream Ecology*. Academic Press, San Diego.
- A 195. De Szalay, F. A., Batzer, D. P., and Resh, V. H. 1996. Comparison of mesocosm and microcosm experiments examining the effects of mowing in emergent vegetation on wetland invertebrates. *Environmental Entomology* 25:303-309.
- A 196. K.G. Sivaramakrishnan, Hannaford, M. J., and Resh, V. H. 1996. Biological assessment of the Kaveri River catchment, South India, using benthic macroinvertebrates: applicability of water quality monitoring approaches developed in other countries. *International Journal of Ecology and Environmental Sciences* 22:113-132.
- A 197. DeSzalay, F. A. and Resh, V. H. 1996. Spatial and temporal variability of trophic relationships among aquatic macroinvertebrates in a seasonal marsh. *Wetlands* 16:458-466.
- C 198. Myers, M. J., and Resh, V. H. 1996. A preliminary list of caddisflies (Insecta: Trichoptera) in high desert springs of California. *Crustacea* 5:43-49.
- A 199. Wood, J. R., Mc Elravy, E. P., and Resh, V. H. 1996. Thermal-shock tolerance of three species of aquatic insects in a northern California, geothermally influenced stream. *Pan-Pacific Entomologist* 72:227-234.
- B 200. Statzner, B., Resh, V. H., and Dolédec, S. 1996. A synthesis of long-term ecological research on the Upper Rhône River in the context of concurrently developed ecological theory. *Archiv für Hydrobiologie Supplement* 113: 45-50.

- C 201. Resh, V. H., Wood, J. R., Bergey, E. A., Feminella, J. W., Jackson, J. K., and McElravy, E. P. 1997. Biology of *Gumaga nigricula* (McL.) in a northern California stream. In: R. Holzenthal and O. Flint (eds.). Proceedings of the 8th International Symposia on Trichoptera. Ohio Biological Survey, Columbus, Ohio. pp. 401-410.
- C 202. Halat, K. M. and Resh, V. H. 1997. Ecological studies on Trichoptera: Topics, locations, and organisms examined. In: R. Holzenthal and O. Flint (eds.). Proceedings of the 8th International Symposia on Trichoptera. Ohio Biological Survey, Columbus, Ohio. pp. 117-121.
- A 203. DeSzalay, F. A. and Resh, V. H. 1997. Responses of wetland invertebrates and plants important in waterfowl diets to burning and mowing of emergent vegetation. *Wetlands* 17:149-156.
- B 204. Rosenberg, D. M., Reynoldson, T. B., Day, K. E., and Resh, V. H. 1997. Role of abiotic factors in structuring benthic invertebrate communities in freshwater ecosystems. pp. 135-155. In: C. G. Ingersoll, T. Dillon, and G. R. Biddinger (eds.). Ecological Risk Assessment of Sediments. Society of Environmental Toxicology and Contamination (SETAC) Press.
- A 205. Batzer, D. P., De Szalay, F. A., and Resh, V. H. 1997. Opportunistic response of a benthic midge (Diptera: Chironomidae) to management of California seasonal wetlands. *Environmental Entomology* 26:215-222.
- A 206. Reynoldson, T. B., Norris, R. H., Resh, V. H., Day, K. E., and Rosenberg, D. M. 1997. The reference condition: a comparison of multimetric and multivariate approaches to assess water quality impairment using benthic macroinvertebrates. *Journal of the North American Benthological Society* 16:833-852.
- A 207. Hannaford, M. J., Barbour, M., and Resh, V. H. 1997. Training reduces observer variability in visual-based assessments of stream habitat. *Journal of the North American Benthological Society* 16:853-860.
- A 208. Liu, T. T. and Resh, V. H. 1997. Abundance and microdistribution of freshwater gastropods in three streams of Moorea, French Polynesia. *Annales de Limnologie* 33:235-244.
- C 209. Schlossberg, E. B. and Resh, V. H. 1997. Mosquito control and waterfowl habitat enhancement by vegetation manipulation and water management: a two year study. *Proceedings of the California Mosquito and Vector Control Association* 65:11-15.
- E 210. Resh, V. H. 1998. Book Review: Freshwater ecosystems: revitalizing education programs in limnology. *Journal of the North American Benthological Society* 17:137-138.

- A 211. Statzner, B., Gore, J. A., and Resh, V. H. 1998. Monte Carlo simulations of benthic macroinvertebrates populations: estimates using random, stratified and gradient sampling. *Journal of the North American Benthological Society* 17:324-337.
- A 212. Jamieson, W. and Resh, V. H. 1998. Biology of *Tanychela pilosa* (Hymenoptera: Ichneumonidae), a parasitoid of the aquatic moth *Petrophila confusalis* (Lepidoptera: Pyralidae). *Entomological News* 109:329-338.
- E 213. Resh, V. H. and Myers, M. J. 1998. Book Review: *Studies in Crenobiology: the biology of springs and springbrooks*. *Journal of the North American Benthological Society* 17:378-379.
- A 214. Resh, V. H. 1998. Science and communication: an author/editor/user's perspective on the transition from paper to electronic publishing. *Issues in Science and Technology Librarianship*. <http://www.library.ucsb.edu/istl/98-summer/article3.html>.
- A 215. Jackson, J. K., and Resh, V. H. 1998. Morphologically cryptic species confound ecological studies of the caddisfly genus *Gumaga* (Trichoptera: Sericostomatidae) in Northern California. *Aquatic Insects* 20:69-84.
- E 216. Resh, V. H. 1998. Book Review: *Freshwater quality, defining the indefinable*. *Aquatic Conservation: Marine and Freshwater Research* 8:381.
- B 217. Myers, M. J. and Resh, V. H. 1999. Spring-formed wetlands of the arid west: islands of aquatic invertebrate biodiversity. P. 811-828. In: D. Batzer, R. B. Rader, and S. A. Wissinger (eds.), *Invertebrates in Freshwater Wetlands of North America: Ecology and Management*.
- B 218. Myers, M. J. and Resh, V. H. 1999. Use of pan traps to collect adult Trichoptera in high desert spring habitats of California. P. 259-267. In: H. Malicky and P. Chantaramongkol (eds.), *Proc. of the 9th International Symposium on Trichoptera*. Chiang Mai University Press, Thailand.
- A 219. Cullen, P. W., Norris, R. H., Resh, V. H., Reynoldson, T. B., Rosenberg, D. M., Barbour, M. T. 1999. Collaboration in scientific research: a critical need for freshwater ecology. *Freshwater Biology* 42:131-142.
- A 220. Jackson, J. K., McElravy, E. P., and Resh, V. H. 1999. Long-term movements of self-marked caddisfly larvae (Trichoptera: Sericostomatidae) in a California coastal mountain stream. *Freshwater Biology* 42:525-536
- B 221. Gasith, A. and Resh, V. H. 1999. Streams in mediterranean climate regions: abiotic influences and biotic responses to predictable seasonal events. *Annual Review of Ecology and Systematics* 31:51-81

- A 222. Resh, V.H., Moser, M., and Poole, M. 1999. Feeding habits of some freshwater fishes in streams in Moorea, French Polynesia. *Annales de Limnologie* 35:205-210.
- A 223. Hannaford, M. J. and Resh, V. H. 1999. Impact of all-terrain vehicles on pickleweed (*Salicornia virginica* L.) in a San Francisco Bay wetland. *Wetlands Ecology and Management* 7:225-233
- B 224. Rosenberg, D. M., Reynoldson, T. B., and Resh, V. H. 1999. Establishing reference conditions for benthic invertebrate monitoring in the Fraser River catchment, British Columbia". Department of the Environment, Canada. Report FRAP 1998-32. 149 p.
- A 225. Myers, M. J. and Resh, V. H. 2000 Undercut banks: habitat for more than just trout. *Transactions of the American Fisheries Society* 129:594-597.
- F 226. Charbonneau, R. and Resh, V. H. 2000. Strawberry Creek: A walking tour of natural history on the University of California, Berkeley, campus. 2nd Edition, Department of Environmental Health and Safety, University of California, Berkeley. 20 p.
- B 227. Rosenberg, D. M., Reynoldson, T. B., and Resh, V. H. 2000. Establishing reference conditions in the Fraser River catchment, British Columbia, Canada, using the "BEAST" (Benthic Assessment of SedimentT) predictive model. pp.181-194. In: Wright, J. F., Sutcliffe, D. W. and Furse, M. T. (eds.), *Assessing the Biological Quality of Fresh Waters: RIVPACS and Similar Techniques*. Freshwater Biological Association; Ambleside, United Kingdom.
- B 228. Resh, V. H., Rosenberg, D. M., and Reynoldson, T. B. 2000. Selection of benthic macroinvertebrate metrics for water quality monitoring of the Fraser River, British Columbia: Implications for RIVPACS and other multivariate predictive models. pp.195-206. In: Wright, J. F., Sutcliffe, D. W. and Furse, M. T. (eds.), *Assessing the Biological Quality of Fresh Waters: RIVPACS and Similar Techniques*. Freshwater Biological Association; Ambleside, United Kingdom.
- A 229. Myers, M. J., Meyer, C. P., and Resh, V. H. 2000. Neritid and thiarid gastropods from French Polynesian streams: how reproduction (sexual, parthenogenetic) and dispersal (active, passive) affect population structure *Freshwater Biology* 43:1-11.
- B 230. Rudnick, D., Halat, K., and Resh, V. H. 2000. Distribution, ecology and economic impacts of the Chinese Mitten Crab (*Eriocheir sinensis*) in San Francisco Bay. University of California Water Resources Center Contribution 206. 74 pp.

- C 231. Lacan, I., Gray, R., Ritland, R., Jenkins, D., Resh, V., Chan, R. 2000. The use of ammonia to control snails in trickling filters. Proceedings WEFTEC 2000. Water Environment Federation. CD-ROM. 16 p.
- A 232. de Szalay, F. and V. H. Resh. 2000. Factors influencing macroinvertebrate colonization of seasonal wetlands: responses to emergent plant cover. *Freshwater Biology* 45:295-308.
- A 233. del Rosario, R. B. and Resh, V. H. 2000. Invertebrates in intermittent and perennial streams: is the hyporheic zone a refuge from drying? *The Journal of the North American Benthological Society* 19:680-696.
- B 234. Statzner, B., Hildrew, A. G., and Resh, V. H. 2001. Species traits and environmental constraints: entomological research and the history of ecological theory. *Annual Review of Entomology* 46:291-316.
- A 235. Lenat, D.R. and Resh, V.H. 2001. Taxonomy and stream ecology—the benefits of genus- and species-level identifications. *Journal of the North American Benthological Society* 20:287-298.
- A 236. del Rosario, R. B. and Resh, V. H. 2001. Interstitial invertebrates associated with small-scale subsurface flowpaths in perennial and intermittent California streams. *Archiv fur Hydrobiologia* 150:629-640.
- B 237. Resh, V. H. 2001. Mosquito control and habitat modification: case history studies of San Francisco Bay wetlands. Pp. 413-428, In: R. B. Rader, D. P. Batzer, and S. Wissinger (eds.), *Bioassessment and management of North American Freshwater Wetlands*, John Wiley & Sons, Inc.
- A 238. Reynoldson, T. B., Rosenberg, D. M. and Resh, V. H. 2001. Comparison of models predicting invertebrate assemblages for biomonitoring in the Fraser River catchment, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 58:1395-1410.
- B 239. Dunne, T., Agee, J., Beissinger, S., Dietrich, W., Gray, D., Power, M., Resh, V.H., Rodrigues, K. 2001. A scientific basis for the prediction of cumulative watershed effects. University of California Wildland Resource Center Report No. 46. 103 pp.
- A 240. Myers, M. J., Sperling, F. A. H., and Resh, V. H. 2001. Dispersal of two species of Trichoptera from desert springs: conservation implications for isolated vs connected populations. *Journal of Insect Conservation* 5:207-215.
- A 241. Carter, J.L. and Resh, V.H. 2001. After site selection and before data analysis: sampling sorting, and laboratory procedures used in stream benthic-

macroinvertebrate monitoring programs by USA state agencies. *Journal of the North American Benthological Society* 20:658-682.

A 242. Zhao, L. and Resh, V.H. 2001. Internet publishing and transformation of knowledge processes. *Communications of the Association for Computer Machinery* 44:103-109.

A 243. Myers, M.J. and Resh, V.H. 2002. Trichoptera and other macroinvertebrates in springs of the Great Basin: species composition richness, and distribution. *Western North American Naturalist* 62:1-13.

E 244. Rudnick, D. and Resh, V.H. 2002. A survey to examine the effects of the Chinese mitten crab on commercial fisheries in Northern California. *IEP Newsletter* 15:19-21.

C 245. del Rosario, R.B. and Resh, V.H. 2002. Responses of caddisflies and other indicator taxa to experimental manure enrichment in streams. *Proceedings of the 10th International Symposium on Trichoptera. Nova Supplementa Entomologica* 15: 499-506.

C 246. Resh, V.H., Reynoldson, T.B., and Rosenberg, D.M. 2002. Trichoptera of the Fraser River catchment, British Columbia, Canada, and their applicability to a large scale water quality monitoring program. *Proceedings of the 10th International Symposium on Trichoptera. Nova Supplementa Entomologica* 15:551-558.

C 247. Resh, V.H. and Nimmo, A.P. 2002. Sources and citation frequencies of Trichoptera literature based on the *Bibliographia Trichopterorum*, 1961-2000. *Proceedings of the 10th International Symposium on Trichoptera. Nova Supplementa Entomologica* 15:641-646.

A 248. del Rosario, R.B. and Resh, V.H. 2002. Cow manure in headwater streams: tracing aquatic insect responses to organic enrichment. *Journal of the North American Benthological Society* 21:278-289.

F 249. Resh, V.H. 2002. Foreword. *Atlas of the Biology of Water Insects*. W. Wichard, W. Arens, and G. Eisenbeis. Fisher, Stuttgart.

F 250. Resh, V.H. 2002. It's not the most exacting science: cinematic depictions don't always match the reality of scientific work. What's all this "mad" business, anyway. *Los Angeles Times* (October 20, 2002) p. E14.

A 251. Purcell, A.H., Friedrich, C., and Resh, V.H. 2002. An assessment of a small, urban Stream restoration project in Northern California. *Restoration Ecology* 10:685-694.

- E. 252. Resh, V.H. and Cardé, R. (eds.). 2003. The Encyclopedia of Insects. Academic Press, San Diego. 1,265 pp.
- F. 253. Resh, V.H. and R. Cardé. 2003. Preface. pp. xxvii-xxviii. In V.H. Resh and R. Cardé (eds.). The Encyclopedia of Insects. Academic Press, San Diego.
- B. 254. Resh, V.H. and R. Cardé. 2003. Insecta, overview. pp. 564-566. In V.H. Resh and R. Cardé (eds.). The Encyclopedia of Insects. Academic Press, San Diego.
- B. 255. Rosenberg, D.M. and Resh, V.H. 2003. Pollution, insect response to. pp. 926-928. In V. H. Resh and R. Cardé (eds.). The Encyclopedia of Insects. Academic Press, San Diego.
- B. 256. Resh, V.H. 2003. River blindness (Onchocerciasis). pp. 1007-1008. In V.H. Resh and R. Cardé. (eds.). The Encyclopedia of Insects. Academic Press, San Diego.
- A. 257. Hoffman, A. and Resh, V.H. 2003. Oviposition in three species of limnephiloid caddisflies (Trichoptera): hierarchical influences on site selection. *Freshwater Biology* 48 1064-1077.
- A. 258. Rudnick, D., Hieb, K., Grimmer, K. Resh, V.H. 2003. Patterns and processes of biological invasion: the Chinese mitten crab in San Francisco Bay. *Basic and Applied Ecology* 4:249-262.
- A. 259. Lévêque, C., Hougard, J.M., Resh, V.H., Statzner, B., Yaméogo, L. 2003. Freshwater ecology and biodiversity in the tropics: what did we learn from 30 years of Onchocerciasis control and the associated biomonitoring of West African rivers? *Hydrobiologia* 500:23-49
- A 260. de Szalay, F.A., de Szalay, C.C., Beam, J.A., and Resh, V.H. 2003. Temporal overlap of nesting duck and aquatic invertebrate abundances in the Grasslands Ecological Area, California, USA. *Wetlands* 23:739-749.
- A 261. Resh, V.H. and N.G. Kobzina. 2003. A perspective on the key citations in freshwater benthic science, and the studies that influenced them. *Journal of the North American Benthological Society* 22:341-351.
- E 262. Resh, V.H. 2003. Science goes to the movies. *California Monthly* 114(2): 16-18 (November).
- B. 263. Resh, V.H. and Rosenberg, D.M. 2004. Water pollution and insects. Vol. 3, pp. 2501-2501. In J. L. Capinera (ed.). The Encyclopedia of Entomology. Kluwer Academic Publishers: Dordrecht.

- B. 264. Resh, V.H., Lévêque, C., Statzner, B. 2004. Long-term, large-scale biomonitoring of the unknown: assessing the effects of insecticides to control river blindness (onchocerciasis) in West Africa. *Annual Review of Entomology* 49:115-139.
- A 265. Yaméogo, L., Resh, V.H., Molyneux, D.H. 2004. Control of river blindness in West Africa: Case history of biodiversity in a disease control programme. *EcoHealth* 1:172-183..
- A. 266. Resh, V.H. 2005. Stream crossings and the conservation of diadromous invertebrates in South Pacific Island Streams. *Aquatic Conservation* 15:313-317.
- B. 267. Carter, J.L., and Resh, V.H. 2005. Pacific coast rivers of the coterminus United States. Pp. 541-590. In A. Benke and C. Cushing (eds.). *The Rivers of North America*. Elsevier Science.
- A. 268. Kearns, F.R., Kelly, N.M., Carter, J.L., and Resh, V.H. 2005. A method for the use of landscape metrics in freshwater research and management. *Landscape Ecology* 20:113-125.
- A. 269. Rudnick, D. and Resh, V. 2005. Stable isotopes, mesocosms and gut content analysis demonstrate trophic differences in two invasive decapod crustaceans. *Freshwater Biology* 50:1323-1336 (cover article).
- A. 270. Bêche, L.A., Stephens, S.L., and Resh, V.H. 2005. Effects of prescribed fire on a Sierra Nevada (California, USA) stream and its riparian zone. *Forest Ecology and Management* 218: 37-59.
- A. 271. Rudnick, D., Chan, V. and Resh, V.H. 2005. Morphology and impacts of the burrows of the Chinese mitten crab, *Eriocheir sinensis* H. Milne Edwards (Decapoda, Grapsidae) in South San Francisco Bay, California, U.S.A. *Crustaceana* 78:787-807.
- A. 272. Resh, V.H., L. Beche, and McElravy, E.P. 2005. How common are rare species in long-term benthic macroinvertebrate studies? *Journal of the North American Benthological Society* 24:976-989.
- A. 273. Bêche, L.A., McElravy, E.P., and Resh, V.H. 2006. Long-term seasonal variation of benthic-macroinvertebrate biological traits in two mediterranean-climate streams in California, USA. *Freshwater Biology* 51:56-75 (cover article).
- A. 274. Bonada, N., Prat, N., Resh, V.H. Statzner, B. 2006. Developments in aquatic insect biomonitoring: comparative analysis of recent approaches. *Annual Review of Entomology* 51:495-523
- A 275. Bergey, E. A. and V. H. Resh. 2006. Differential response of algae on small streambed substrates to floods. *American Midland Naturalist* 155: 270-277.

- A. 276. Mazor, R.D., Reynoldson, T.B., Rosenberg, D.M. and Resh, V.H. 2006. Effects of biotic assemblage, classification, and assessment method on bioassessment performance. *Canadian Journal of Fisheries and Aquatic Sciences* 63:394-411.
- C. 277. Bêche, L. and Resh, V.H. 2006. Preliminary studies on the life history of a wood-boring caddisfly, *Heteroplectron californicum* (Trichoptera: Calamoceratidae) in a coastal California stream. Pp. 39-43. In: K. Tanida and A. Rossiter (eds.). *Proceedings of the XII International Conference on Trichoptera*. Tokai University Press, Japan.
- C. 278. Resh, V.H., Statzner B, Gibon, F-M, and Yameogo, L. 2006. Trichoptera, biomonitoring, and the Onchocerciasis (River Blindness) Control Programme in West Africa. Pp. 363-369. In: K. Tanida and A. Rossiter (eds.). *Proceedings of the XII International Conference on Trichoptera*. Tokai University Press, Japan.
- C. 279. Hoffman, A. and Resh V.H. 2006. Oviposition behaviour of Trichoptera in California Mediterranean-type streams. Pp. 175-179. In K. Tanida and A. Rossiter (eds.). *Proceedings of the XII International Conference on Trichoptera*. Tokai University Press, Japan
- A. 280. Bonada, N., Rieradevall, M., Prat, N. and Resh, V.H. 2006. Benthic macroinvertebrate assemblages and macrohabitat connectivity in Mediterranean climate streams of northern California. *Journal of the North American Benthological Society* 25:32-43.
- B. 281. Carter, J.M., Myers, M. J., Hannaford, M., and Resh, V.H. 2006. Macroinvertebrates as biotic indicators of environmental quality. Pp. 805-833. In: F. R. Hauer and G. A. Lamberti (eds.) *Methods in Stream Ecology*. 2nd Ed. Academic Press, San Diego.
- B. 282. Hauer, F. R. and Resh, V. H. Macroinvertebrates. 2006. Pp. 435-463. In: F. R. Hauer and G. A. Lamberti (eds.) *Methods in Stream Ecology*. 2nd Ed. Academic Press, San Diego.
- B. 283. Carter, J.L., Resh, V.H., Rosenberg, D.M., Reynoldson, T.B. 2006. Biomonitoring in North American rivers: A comparison of methods used for benthic macroinvertebrates in Canada and the United States. In: *Biological monitoring of rivers: applications and perspectives*. Pp. 203-228, In: G. Ziglio, M. Siligardi, and G. Flaim (eds.). John Wiley & Sons, NY.
- A. 284. Tschardtke, T., Hochberg, M.E., Rand, T.A., Resh, V.H., and Krauss, J. 2006. Author sequence and credit for contributions in multi-authored publications. *PLoS Biology* 5:13-14.

F. 285. Campbell, I., Chessman, B. Resh, V., Burnhill, B. (eds.). 2006. Biomonitoring of the Lower Mekong and selected tributaries. Mekong River Commission Technical Paper No. 13. Mekong River Commission, Vientiane, Lao P. D. R.

A. 286. Resh, V.H. 2007. Multinational, freshwater biomonitoring programs in the developing world: lessons learned from African and Southeast Asian river surveys. *Environmental Management* 29:737-748.

A. 287. Bêche, L.A. and Resh, V.H. 2007. Biological traits of benthic macroinvertebrates in California Mediterranean-climate streams: long-term annual variability and trait diversity patterns. *Fundamental and Applied Limnology* 169:1-23.

E. 288. Vinograd N.A., Kayukova E.P., Pavlov A.N., Resh V., Sumina N.I. Methods for the comprehensive assessment of groundwater and surface water quality: A practical guide to the ecology of Russian water resources. St.Petersburg State University Press. (In Russian). 136p.

In Press

A 1. Resh, V.H. Which group is best? Attributes of different biological assemblages used in freshwater biomonitoring. *Environmental Monitoring and Assessment*.

A 2. Cover, M.R. and Resh, V.H. Global freshwater biodiversity of Megaloptera and aquatic Neuroptera. *Hydrobiologia*.

B. 3. Merritt, R. W., Resh, V. H., Cummins, K. W., and Batzer, D. Design of aquatic insect studies: collecting, sampling, and rearing procedures. In: R. W. Merritt, K. W. Cummins, and M. Berg (eds.) *An Introduction to the Aquatic Insects of North America*, 4th Ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.

B. 4. Resh, V. H., Lamberti, G. A, Buchwalter, D., and Eriksen, C. Aquatic insect respiration. In: R. W. Merritt, K. W. Cummins, and M. Berg (eds.) *An Introduction to the Aquatic Insects of North America*, 4th Ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.

B. 5. Rosenberg, D. M., Resh, V. H., and King, R. Use of aquatic insects in biomonitoring. In: R. W. Merritt, K. W. Cummins, and M. Berg. *An Introduction to the Aquatic Insects of North America*, 4th Ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.

B. 6. Will, K. and Resh, V. H. Phylogenetic relationships and evolutionary adaptations of aquatic insects. In: R. W. Merritt, K. W. Cummins, and M. Berg. *An Introduction to the Aquatic Insects of North America*, 4th Ed., Kendall/Hunt Publishing Company, Dubuque, Iowa.

- E. 7. Barbour, M.T., Pauk, M.J., Bressler, D.W., O'Dowd, A.P., Resh, V.H., and Rankin, E. Bioassessment: A tool for managing aquatic life uses for urban streams. Water and Environment Research Federation.
- C 8. Mendez, P., Wood, J., and V.H. Resh. Emergence, fluctuating sex ratios, and protandry in *Neophylax rickeri* (Trichoptera: Uenoidae). In J. Bueno-Serra (ed.). Proceedings of the XIII International Conference on Trichoptera.
- C. 9. Mendez, P. and Resh, V.H. What aspects of the life history of Trichoptera have been studied? In J. Bueno-Serra (ed.). Proceedings of the XIII International Conference on Trichoptera.
- B. 10. Resh, V.H. Freshwater vectors of human disease. In G. Likens (ed.). Encyclopedia of Inland Waters. Elsevier, San Diego.
- A. 11. Bêche, L.A. and Resh, V.H.. Short-term climatic trends affect the temporal variability of macroinvertebrates in California 'mediterranean' streams. *Freshwater Biology*.
- A. 12. Cover, M.R., May, C.L., Resh, V.H., and Deitrich, W.E. Quantitative linkages between sediment supply, streambed fine sediment, and benthic macroinvertebrates in northern California streams. *Journal of the North American Benthological Society*.
- B. 13. DeWalt, E., Resh, V.H. and Hilsenhoff, W.L. Diversity and Classification of insects and Collembola. In J.H. Thorp and A.P. Covich (eds.). *Ecology and Classification of North American Freshwater Invertebrates*. 3rd edition. Elsevier, San Diego.

CATEGORIES OF PUBLICATIONS

- A = Research Papers in Refereed Journals.
- B = Invitational Review Papers and Chapters in Books.
- C = Non-Refereed Papers.
- D = Abstracts and Notes.
- E = Books.
- F = Miscellaneous.